

"wrapper" "single address" "multiple domain"

Search

Advanced Search

Web

Results 1 - 10 of about 99 for "wrapper" "single address" "multiple domain". (0.18 seconds)



Show options...

1. [\[PDF\] Glossary](#)

File Format: PDF/Adobe Acrobat - [View](#)

Users send messages to a **single address**. ... multiple IP addresses Technique and software tool that allows a server to support **multiple domain** names; ... additional layers of security; for example, a digital envelope or **wrapper** that ...

[www.arnoldit.com/articles/book/Publishing_book/Glossary.pdf](#) - [Similar](#)

2. [netmanager updates](#)

Add support for binding sendmail to a **single address** if mails need to be sent from a ... **changepass**, Deal with **multiple domain** controllers (use first). ...

[update.netmanager.info/index.php?from=171267&to=...](#) - [Cached](#) - [Similar](#)

3. [Providing quality of service guarantees to virtual hosts - US ...](#)

Multiple domain names can be assigned to a **single address**. For example, the accept **wrapper** is the inserted object code 121 that executes when the ...

[www.patentstorm.us/patents/6976258/description.html](#) - [Similar](#)

4. [Providing quality of service guarantees to virtual hosts - Patent ...](#)

Multiple domain names can be assigned to a **single address**. To set the quality of service guarantees, the read **wrapper** 423 reads the quality of service ...

[www.freepatentsonline.com/6976258.html](#) - [Similar](#)

by P Goyal - 2005 - [Cited by 2](#) - [Related articles](#)

5. [\[PDF\] \(12\) United States Patent](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Multiple domain names can be assigned to a **single address**. Thus, multiple virtual hosts, To set the quality of service guarantees, the read **wrapper** ...

[www.ienwick.com/docstore/Publications/...Computers_6976258.pdf](#) - [Similar](#)

6. [QEH answers](#)

... directory) Google Cache Poisoning - no **Multiple Domain** Traversal no only ...
adware Neil notices that a **single address** is generating traffic from its ...
[www.docutec.com/viewer.asp?documentid...](#) - [Cached](#) - [Similar](#)

7. [QEH](#)

Aug 27, 2009 ... root directory) Google Cache Poisoning - no **Multiple Domain**
Traversal - no ... Neil notices that a **single address** is generating traffic from its In
the context of Trojans, what is the definition of a **Wrapper**? ...
[www.scribd.com/doc/19161249/QEH](#) - [Cached](#) - [Similar](#)

8. [Computing Applications International Journal of High Performance](#)

code that can be easily shared across **multiple domain**- specific frameworks. the
coupling of **single-address**-space components based on Babel (see Section 4),
somewhat thicker **wrapper** to adapt the new interface to the ...
[hpc.sagepub.com/cgi/reprint/20/2/163.pdf](#) - [Similar](#)
by DE Bernholdt - 2006 - [Cited by 70](#) - [Related articles](#)


9. [Computing Applications International Journal of High Performance](#)

code that can be easily shared across **multiple domain**- specific frameworks. the
coupling of **single-address**-space components based ...
[hpc.sagepub.com/cgi/reprint/20/2/163.pdf?ck=nck](#) - [Similar](#)

10. [\[PDF\] A Component Architecture for High-Performance Scientific Computing](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... code that can be easily shared across **multiple domain**-specific frameworks.
This feature allows the coupling of **single-address**-space components based on ...
CCA components using SIDL, and a stub generator produces **wrapper** code ...
[cs.indiana.edu/~febert/pubs/bernholt-LHPCA05.pdf](#) - [Similar](#)

Go o o o o o o o o g l e 
1 2 3 4 5 6 7 [Next](#)

"wrapper" "single address" "multiple domain"

[Search](#)

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)